

## Clamps and Brackets

### Hose Clamps



Part No.	Range
401-41904	7/32" - 5/8"
401-41906	7/16" - 25/32"
401-41908	1/2" - 29/32"
401-41910	9/16" - 1-1/16"
401-41912	11/16" - 1-1/4"
401-41916	13/16" - 1-1/2"
401-41920	13/16" - 1-3/4"
401-41924	1-1/16" - 2"
401-41928	1-5/16" - 2-1/4"
401-41932	1-9/16" - 2-1/2"
401-41936	1-13/16" - 2-3/4"
401-41940	2-1/16" - 3"



#### 403-00974

A chrome plated bracket that can be used for mounting anything to anything. 3" overall length, approximately 2" between holes and a 3/8" offset.



- 403-00978 1-1/2"
- 403-00979 1-5/8"
- 403-00980 1-3/4"
- 403-00981 1-7/8"
- 403-00982 2"
- 403-00550 2 1/2"

Use this for muffler to pipe clamp or whatever. Includes nut and bolt.



- 403-00970 1 1/2"
- 403-00971 1 5/8"
- 403-00972 1 3/4"
- 403-00973 2"

Approximately 5" long with a 3/8" x 1 1/2" flt for mounting. Used for holding pipes or mufflers among other things. Includes nut and bolt. Chrome plated.



#### 403-00959

Heavy duty one inch wide steel bracket to use with any kind of rear fender application. Slotted mounting holes. For use on one inch diameter or less cross bar.



- 403-00975 7/8"
- 403-00976 1"
- 403-00977 1-1/8"
- 403-00541 1 1/4"

Heavy duty with 3/8" holes. Use on your bike frame for almost anything. Flat size allows flush mounting. Includes nut & bolt



#### 403-00540

1" to 1 1/2" dia. Universal driving light bracket with 3/8" holes

- 403-00530 2"
- 403-00531 3"
- 403-00532 4"
- 403-00533 5"
- 403-00534 6"
- 403-00535 9"

These chrome plated straps can be used for a variety of mounting purposes. Made from 1/8" x 3/4" steel, with 3/8" holes on each end.



INDEX

PAINT

HANDLEBARS

STREET LEVERS

FORK SEALS

CABLES

SUSPENSION

ELECTRICAL

FILTERS

BRAKE LINES

BRAKES

CABLE MAKING SUPPL

CONTROLS

DUAL SPORT

MANUALS

FSO PRODUCTS

EMGO

DRIVE

DISPLAY

JETS

BEARINGS

EYEWEAR

VINTAGE

MIRRORS

EUROPEAN

KICKERS

SHIFTERS

MISC

HARD PARTS


SHOP TOOLS

CHEMICALS


TOOLS

# 060-Hardware





## Bolts and Nuts



**ALL ITEMS ON CHART:  
FOR A BAG, ORDER 25  
(QUANTITY BREAK)**



Length	6-1.0mm Thread 8mm Hex Head Plated (Honda Type)	6-1.0mm Thread 8mm Hex Head Black (Honda Type)	6-1.0mm Thread 10mm Hex Head Plated	8-1.25mm Thread 12mm Hex Head Plated	10-1.25mm Thread 14mm Hex Head Plated
12	401-60401	401-60451	989-61012	989-80212	
16	401-60403	401-60453	989-61016	989-80216	989-10216
20	401-60405	401-60455	989-61020	989-80220	989-10220
25	401-60408	401-60458	989-61025	989-80225	989-10225
30	401-60410	401-60460	989-61030	989-80230	989-10230
35	401-60412	401-60462	989-61035	989-80235	989-10235
40	401-60413	401-60463	989-61040	989-80240	989-10240
45	401-60415	401-60465		989-80245	989-10245
50				989-80250	989-10250
60				989-80260	989-10260
70				989-80270	989-10270

Thread Size	Hex Size	Plain Hex 	Flange Head 	Nylok 	Fujilok 
3-0.5	5.5	934-03050		985-03050	
4-0.7	7	934-04070		985-04070	
5-0.8	8	934-05080		985-05080	995-05080
6-1.0	10	934-06100	990-06100	985-06100	995-06100
7-1.0	11	934-07100		985-07100	
8-1.25	12	934-28125	990-08125		
8-1.25	13	934-08125		985-08125	995-08125
8-1.0	13	934-08100		985-08100	
10-1.25	14	934-30125	990-10125		
10-1.25	17	934-10125		985-10125	995-10125
10-1.5	14	934-30150			
10-1.75	17	934-10150		985-10150	995-10150
10-1.0	17	934-10100		985-10100	
12-1.25	17	934-32125			
12-1.25	19	934-12125		985-12125	995-12125
12-1.5	19	934-12150		985-12150	
12-1.75	19	934-12175		985-12175	
12-1.0	19	934-12100			
14-1.5	22	934-14150			
14-2.0	22	934-14200		985-14200	
16-1.0	22	934-16100			
16-1.5	24	934-16150			
16-2.0	24	934-16200			
18-1.5	27	934-18150			
18-2.5	27	934-18250			
20-2.0	27	934-20200			
20-2.5	30	934-20250			

**ALL ITEMS ON CHART:  
FOR A BAG, ORDER 25  
(QUANTITY BREAK)**






### AirCRAFT Locking Nut Assortment

**985-10000**

The 985-10000 assortment is a small, handy selection of self locking nyloc-type insert nuts in six different sizes. Kit contains 5mm, 6mm, 8mm 1.0 & 1.25 and 10mm 1.25 & 1.5.



## Metric Screws

					
Size	Phillips Pan Head I.S.O.	Phillips Flat Oval Countersunk I.S.O.	Slotted Pan Fillster Head I.S.O.	Slotted Flat Oval Head Countersunk I.S.O.	Flat Head Socket Countersunk I.S.O.
4.0x0.7x8	987-40708			905-40708	
4.0x0.7x10	987-40710				991-40710
4.0x0.7x12	987-40712		904-40712		
4.0x0.7x16	987-40716		904-40716		
4.0x0.7x18	987-40718				
4.0x0.7x20	987-40720		904-40720		
4.0x0.7x25	987-40725		904-40725		
4.0x0.7x30	987-40730				
5.0x0.8x8	987-50808	988-50808		905-50808	
5.0x0.8x10	987-50810	988-50810		905-50810	991-50810
5.0x0.8x12	987-50812	988-50812		905-50812	
5.0x0.8x16	987-50816	988-50816			991-50815
5.0x0.8x18	987-50818				
5.0x0.8x20	987-50820	988-50820	904-50820	905-50820	991-50820
5.0x0.8x25	987-50825	988-50825		905-50825	991-50825
5.0x0.8x30	987-50830	988-50830			
5.0x0.8x35	987-50835				
5.0x0.8x40	987-50840				
6.0x1.0x8				905-61008	
6.0x1.0x10	987-61010	988-61010	904-61010	905-61010	991-61010
6.0x1.0x12	987-61012	988-61012	904-61012		
6.0x1.0x16	987-61016	988-61016	904-61016		991-61016
6.0x1.0x18	987-61018	988-61018	904-61018		
6.0x1.0x20	987-61020	988-61020	904-61020		991-61020
6.0x1.0x25	987-61025	988-61025	904-61025		991-61025
6.0x1.0x30	987-61030	988-61030	904-61030	905-61030	991-61030
6.0x1.0x35	987-61035	988-61035		905-61035	
6.0x1.0x40	987-61040	988-61040	904-61040	905-61040	991-61040
6.0x1.0x45	987-61045				991-61045
6.0x1.0x50	987-61050	988-61050	904-61050	905-61050	
6.0x1.0x60	987-61060	988-61060		905-61060	
6.0x1.0x70	987-61070				
6.0x1.0x80	987-61080				
6.0x1.0x90	987-61090				

For a Bag: Order 25


### Phillips Head Screw Assortment

#### 987-10000

The 987-10000 assortment consists of popular length phillips pan head screw commonly used on side cases, etc. Twelve lengths in 6mm dia. x 1.0mm pitch.



## Metric Hex Head Cap Screws (BOLTS)



**ALL ITEMS ON CHART:  
FOR A BAG, ORDER 25  
(QUANTITY BREAK)**

Metric Hex Head Bolts, Zinc plated for corrosion resistance are supplied in Metric DIN Grade 8.8 With Tensile strength of 113,000 to 142,000 P.S.I. Some sizes used in Japanese motorcycles are not yet available in Grade 8.

5.5mm Hex Wrench Size			
	Dia	Pitch	Length
931-30512	3	x 0.5	x 12

7mm Hex Wrench Size			
	Dia	Pitch	Length
931-40110	4	x 0.7	x 10
931-40120	4	x 0.7	x 20

8mm Hex Wrench Size			
	Dia.	Pitch	Length
931-50808	5	x 0.8	x 8
931-50810	5	x 0.8	x 10
931-50812	5	x 0.8	x 12
931-50815	5	x 0.8	x 15
931-50818	5	x 0.8	x 18
931-50820	5	x 0.8	x 20
931-50825	5	x 0.8	x 25
931-50830	5	x 0.8	x 30
931-50835	5	x 0.8	x 35
931-50840	5	x 0.8	x 40
931-50845	5	x 0.8	x 45
931-50850	5	x 0.8	x 50
931-50860	5	x 0.8	x 60

10mm Hex Wrench Size			
	Dia.	Pitch	Length
931-61010	6	x 1.0	x 10
931-61012	6	x 1.0	x 12
931-61015	6	x 1.0	x 15
931-61018	6	x 1.0	x 18
931-61020	6	x 1.0	x 20
931-61022	6	x 1.0	x 22
931-61025	6	x 1.0	x 25
931-61030	6	x 1.0	x 30
931-61035	6	x 1.0	x 35
931-61040	6	x 1.0	x 40
931-61045	6	x 1.0	x 45
931-61050	6	x 1.0	x 50
931-61055	6	x 1.0	x 55
931-61060	6	x 1.0	x 60
931-61065	6	x 1.0	x 65
931-61070	6	x 1.0	x 70
931-61080	6	x 1.0	x 80
931-61090	6	x 1.0	x 90

11mm Hex Wrench Size			
	Dia.	Pitch	Length
931-71012	7	x 1.0	x 12
931-71018	7	x 1.0	x 18
931-71020	7	x 1.0	x 20
931-71022	7	x 1.0	x 22
931-71030	7	x 1.0	x 30
931-71040	7	x 1.0	x 40
931-71050	7	x 1.0	x 50
931-71060	7	x 1.0	x 60
931-71091	7	x 1.0	x 100

12mm Hex (Japanese Size)			
	Dia.	Pitch	Length
980-80212	8	x 1.25	x 12
980-80216	8	x 1.25	x 16
980-80220	8	x 1.25	x 20
980-80225	8	x 1.25	x 25
980-80230	8	x 1.25	x 30
980-80235	8	x 1.25	x 35
980-80240	8	x 1.25	x 40
980-80245	8	x 1.25	x 45
980-80250	8	x 1.25	x 50
980-80260	8	x 1.25	x 60
980-80270	8	x 1.25	x 70
980-80280	8	x 1.25	x 80
980-80290	8	x 1.25	x 90
980-80291	8	x 1.25	x 100

13mm Hex (European Size)			
	Dia.	Pitch	Length
931-80212	8	x 1.25	x 12
931-80215	8	x 1.25	x 15
931-80218	8	x 1.25	x 18
931-80220	8	x 1.25	x 20
931-80222	8	x 1.25	x 22
931-80225	8	x 1.25	x 25
931-80230	8	x 1.25	x 30
931-80235	8	x 1.25	x 35
931-80240	8	x 1.25	x 40
931-80245	8	x 1.25	x 45
931-80250	8	x 1.25	x 50
931-80260	8	x 1.25	x 60
931-80270	8	x 1.25	x 70
931-80280	8	x 1.25	x 80
931-80290	8	x 1.25	x 90
931-80291	8	x 1.25	x 100

13mm Hex Euro. Fine Thread			
	Dia.	Pitch	Length
931-80115	8	x 1.0	x 15
931-80130	8	x 1.0	x 30
931-80160	8	x 1.0	x 60
931-80180	8	x 1.0	x 80

14mm Hex Japanese Thread			
	Dia.	Pitch	Length
980-10220	10	x 1.25	x 20
980-10225	10	x 1.25	x 25
980-10230	10	x 1.25	x 30
980-10235	10	x 1.25	x 35
980-10240	10	x 1.25	x 40
980-10245	10	x 1.25	x 45
980-10250	10	x 1.25	x 50
980-10260	10	x 1.25	x 60
980-10270	10	x 1.25	x 70
980-10280	10	x 1.25	x 80
980-10290	10	x 1.25	x 90
980-10291	10	x 1.25	x 100

17mm Hex Japanese Thread			
	Dia.	Pitch	Length
931-10220	10	x 1.25	x 20
931-10240	10	x 1.25	x 40
931-10245	10	x 1.25	x 45
931-10250	10	x 1.25	x 50
931-10260	10	x 1.25	x 60
931-10270	10	x 1.25	x 70
931-10280	10	x 1.25	x 80
931-10291	10	x 1.25	x 100

17mm Hex Euro..Coarse			
	Dia.	Pitch	Length
931-10330	10	x 1.5	x 30
931-10335	10	x 1.5	x 35

17mm Hex Euro..Coarse			
	Dia.	Pitch	Length
931-10355	10	x 1.5	x 55
931-10360	10	x 1.5	x 60
931-10370	10	x 1.5	x 70
931-10380	10	x 1.5	x 80
931-10390	10	x 1.5	x 90
931-10391	10	x 1.5	x 100

INDEX  
PAINT  
HANDLEBARS  
STREET LEVERS  
FORK SEALS  
CABLES  
SUSPENSION  
ELECTRICAL  
FILTERS  
BRAKE LINES  
BRAKES  
CABLE MAKING SUPPLIES  
CONTROLS  
DUAL SPORT  
MANUALS  
FSO PRODUCTS  
EMGO  
DRIVE  
DISPLAY  
JETS  
BEARINGS  
EYEWEAR  
VINTAGE  
MIRRORS  
EUROPEAN  
KICKERS  
SHIFTERS  
MISC  
HARD PARTS  
SHOP TOOLS  
CHEMICALS  
TOOLS





## Bolts, Studs, Washers

### Metric Hex Head Cap Screws (BOLTS) (continued)

17mm Hex Euro Fine					
	Dia.		Pitch		Length
931-10125	10	x	1.0	x	25
931-10130	10	x	1.0	x	30
931-10135	10	x	1.0	x	35
931-10140	10	x	1.0	x	40
931-10150	10	x	1.0	x	50

17mm Hex Japanese Thread					
	Dia.		Pitch		Length
980-12220	12	x	1.25	x	20
980-12225	12	x	1.25	x	25
980-12230	12	x	1.25	x	30
980-12240	12	x	1.25	x	40
980-12250	12	x	1.25	x	50
980-12260	12	x	1.25	x	60
980-12270	12	x	1.25	x	70
980-12280	12	x	1.25	x	80
980-12290	12	x	1.25	x	90
980-10291	12	x	1.25	x	100



19mm Hex Japanese Thread					
	Dia.		Pitch		Length
931-12245	12	x	1.25	x	45
931-12260	12	x	1.25	x	60
931-12270	12	x	1.25	x	70
931-12280	12	x	1.25	x	80

### Metric Nut & Bolt Assortment

910-10000

The 910-10000 assortment is designed for motorcycle shops, both for over the counter sales and for rear of the shop service. Contains 5mm, 6mm, 8mm and 10mm nuts and bolts.

### Extra Long Motor Mount Studs

Flanders Co. now makes extra length studs for your motor mounts enabling you to mount accessories.

	Dia.	Pitch	Length
201-07183	10	- 1.25	x 183mm (7 1/4")
201-07197	10	- 1.25	x 197mm (7 3/4")
201-07219	10	- 1.25	x 219mm (8 5/8")
201-07238	10	- 1.25	x 238mm (9 3/4")
201-07254	10	- 1.25	x 254mm (10")
201-07330	10	- 1.25	x 330mm (13")




### Metric Washers

Inside Diameter	Standard Flat Washer	Oversize Flat Washer	Split Lock Washer	Spring Washer	Rubber Washers 3mm Thick	Rubber Bonded To Steel 3mm Thick
3mm	906-00003		907-00003			
4mm	906-00004		907-00004	908-00004		
5mm	906-00005		907-00005	908-00005		
6mm	906-00006 12mm OD	906-03006 16mm OD	907-00006	908-00006	228-69993 25mm O.D.	228-69994 25mm O.D.
		906-05006 25mm OD				
7mm	906-00007		907-00007	908-00007		
8mm	906-00008 17mm OD	906-03008 22mm OD	907-00008	908-00008		
		906-05008 32mm OD				
10mm	906-00010		907-00010	908-00010		
12mm	906-00012		907-00012	908-00012		
14mm	906-00014		907-00014	908-00014		
16mm	906-00016		907-00016			

**WASHERS:  
For a bag:  
Order 100**

## Metric Socket Head (Allen Type) Cap Screws



Socket Head Cap Screws, Zinc plated for corrosion resistance are supplied in Metric DIN Grade 8.8 with Tensile strength of 113,000 to 142,000 P.S.I. Some sizes used in Japanese motorcycles are not yet available in Grade 8.

**All items on chart:  
For a bag order 25  
(quantity break)**

3mm Socket Head			
	Dia.	Pitch	Length
912-40710	4	x 0.7	x 10
912-40715	4	x 0.7	x 15/16
912-40720	4	x 0.7	x 20
912-40725	4	x 0.7	x 25
912-40730	4	x 0.7	x 30
912-40735	4	x 0.7	x 35

4mm Socket Head			
	Dia.	Pitch	Length
912-50810	5	x 0.8	x 10
912-50812	5	x 0.8	x 12
912-50815	5	x 0.8	x 15/16
912-50820	5	x 0.8	x 20
912-50825	5	x 0.8	x 25
912-50830	5	x 0.8	x 30
912-50835	5	x 0.8	x 35
912-50840	5	x 0.8	x 40
912-50845	5	x 0.8	x 45

5mm Socket Head			
	Dia.	Pitch	Length
912-61010	6	x 1.0	x 10
912-61012	6	x 1.0	x 12
912-61015	6	x 1.0	x 15/16
912-61018	6	x 1.0	x 18
912-61020	6	x 1.0	x 20
912-61022	6	x 1.0	x 22
912-61025	6	x 1.0	x 25
912-61030	6	x 1.0	x 30
912-61035	6	x 1.0	x 35
912-61040	6	x 1.0	x 40
912-61045	6	x 1.0	x 45
912-61050	6	x 1.0	x 50
912-61055	6	x 1.0	x 55
912-61060	6	x 1.0	x 60
912-61065	6	x 1.0	x 65
912-61070	6	x 1.0	x 70
912-61075	6	x 1.0	x 75
912-61080	6	x 1.0	x 80
912-61085	6	x 1.0	x 85
912-61090	6	x 1.0	x 90
912-61095	6	x 1.0	x 95
912-61091	6	x 1.0	x 100
912-61092	6	x 1.0	x 125

6mm Socket Head			
	Dia.	Pitch	Length
912-80215	8	x 1.25	x 15/16
912-80220	8	x 1.25	x 20
912-80225	8	x 1.25	x 25
912-80230	8	x 1.25	x 30
912-80235	8	x 1.25	x 35
912-80240	8	x 1.25	x 40
912-80245	8	x 1.25	x 45
912-80250	8	x 1.25	x 50
912-80255	8	x 1.25	x 55
912-80260	8	x 1.25	x 60
912-80270	8	x 1.25	x 70
912-80280	8	x 1.25	x 80

8mm Socket Head Euro. Thread			
	Dia.	Pitch	Length
912-10320	10	x 1.5	x 20
912-10325	10	x 1.5	x 25
912-10330	10	x 1.5	x 30
912-10335	10	x 1.5	x 35
912-10340	10	x 1.5	x 40
912-10350	10	x 1.5	x 50
912-10355	10	x 1.5	x 55
912-10360	10	x 1.5	x 60
912-10370	10	x 1.5	x 70
912-10380	10	x 1.5	x 80
912-10390	10	x 1.5	x 90

10mm Socket Head Japanese Thread			
	Dia.	Pitch	Length
912-12220	12	x 1.25	x 20
912-12225	12	x 1.25	x 25
912-12280	12	x 1.25	x 80
912-12290	12	x 1.25	x 90
912-12291	12	x 1.25	x 100

10mm Socket Head Euro Thread			
	Dia.	Pitch	Length
912-12440	12	x 1.75	x 40
912-12450	12	x 1.75	x 50
912-12460	12	x 1.75	x 60
912-12470	12	x 1.75	x 70
912-12480	12	x 1.75	x 80
912-12490	12	x 1.75	x 90
912-12491	12	x 1.75	x 100

12mm Socket Head Euro Thread			
	Dia.	Pitch	Length
912-14550	14	x 2.0	x 50
912-14560	14	x 2.0	x 60
912-14570	14	x 2.0	x 70
912-14580	14	x 2.0	x 80
912-14590	14	x 2.0	x 90
912-14591	14	x 2.0	x 100

14mm Socket Head Euro Thread			
	Dia.	Pitch	Length
912-16540	16	x 2.0	x 40
912-16550	16	x 2.0	x 50
912-16560	16	x 2.0	x 60
912-16570	16	x 2.0	x 70
912-16580	16	x 2.0	x 80
912-16590	16	x 2.0	x 90
912-16591	16	x 2.0	x 100



### Socket Head Screw Metric Assortment 912-10000

The 912-10000 assortment is a selection of popular metric 6mm Allen bolts. This kit is particularly useful for replacement of side case screws. There are 12 different lengths of 6mm x 1.0 bolts, 220 bolts total.

INDEX

PAINT

HANDLEBARS

STREET LEVERS

FORK SEALS

CABLES

SUSPENSION

ELECTRICAL

FILTERS

BRAKE LINES

BRAKES

CABLE MAKING SUPPLIES

CONTROLS

DUAL SPORT

MANUALS

FSO PRODUCTS

EMGO

DRIVE

DISPLAY

JETS

BEARINGS

EYEWEAR

VINTAGE

MIRRORS

EUROPEAN

KICKERS

SHIFTERS

MISC

HARD PARTS

SHOP TOOLS

CHEMICALS

TOOLS

## American Hex Head Cap Screws (Bolts)

### American Nut & Bolts Assortment

#### 803-00902

The 803-00902 assortment contains 570 nuts and bolts in the 1/4", 5/16" and 3/8" UNC and UNF nuts and bolts.

American sizes of bolts. These are SAE Grade 5 and are bright zinc plated to resist corrosion. Tensile Strength is 100,000 to 120,000 PSI.

Part#	Size	
805-42002	1/4x20x1/2	UNC
805-42003	1/4x20x3/4	UNC
805-42004	1/4x20x1	UNC
805-42005	1/4x20x1-1/4	UNC
805-42006	1/4x20x1-1/2	UNC
805-42007	1/4x20x1-3/4	UNC
805-42008	1/4x20x2	UNC
805-42009	1/4x20x2-1/4	UNC
805-42010	1/4x20x2-1/2	UNC
805-42802	1/4x28x1/2	UNF
805-42803	1/4x28x3/4	UNF
805-42804	1/4x28x1	UNF
805-42805	1/4x28x1-1/4	UNF
805-42806	1/4x28x1-1/2	UNF
805-42807	1/4x28x1-3/4	UNF
805-42808	1/4x28x2	UNF
805-42809	1/4x28x2-1/4	UNF
805-42810	1/4x28x2-1/2	UNF
805-51802	5/16x18x1/2	UNC
805-51803	5/16x18x3/4	UNC
805-51804	5/16x18x1	UNC
805-51805	5/16x18x1-1/4	UNC
805-51806	5/16x18x1-1/2	UNC
805-51807	5/16x18x1-3/4	UNC
805-51808	5/16x18x2	UNC
805-51809	5/16x18x2-1/4	UNC
805-51810	5/16x18x2-1/2	UNC
805-51811	5/16x18x2-3/4	UNC
805-51812	5/16x18x3	UNC
805-51813	5/16x18x3-1/4	UNC
805-51814	5/16x18x3-1/2	UNC
805-51816	5/16x18x4	UNC
805-51818	5/16x18x4-1/2	UNC
805-52402	5/16x24x1/2	UNF
805-52403	5/16x24x3/4	UNF
805-52404	5/16x24x1	UNF
805-52405	5/16x24x1-1/4	UNF
805-52406	5/16x24x1-1/2	UNF
805-52407	5/16x24x1-3/4	UNF
805-52408	5/16x24x2	UNF
805-52409	5/16x24x2-1/4	UNF
805-52410	5/16x24x2-1/2	UNF
805-52411	5/16x24x2-3/4	UNF
805-52412	5/16x24x3	UNF
805-52413	5/16x24x3-1/4	UNF
805-52414	5/16x24x3-1/2	UNF
805-52416	5/16x24x4	UNF
805-52418	5/16x24x4-1/2	UNF

**For a Bag: Order 25**

Part#	Size	
805-61602	3/8x16x1/2	UNC
805-61603	3/8x16x3/4	UNC
805-61604	3/8x16x1	UNC
805-61605	3/8x16x1-1/4	UNC
805-61606	3/8x16x1-1/2	UNC
805-61607	3/8x16x1-3/4	UNC
805-61608	3/8x16x2	UNC
805-61609	3/8x16x2-1/4	UNC
805-61610	3/8x16x2-1/2	UNC
805-61611	3/8x16x2-3/4	UNC
805-61612	3/8x16x3	UNC
805-61613	3/8x16x3-1/4	UNC
805-61614	3/8x16x3-1/2	UNC
805-62402	3/8x24x1/2	UNF
805-62403	3/8x24x3/4	UNF
805-62404	3/8x24x1	UNF
805-62405	3/8x24x1-1/4	UNF
805-62406	3/8x24x1-1/2	UNF
805-62407	3/8x24x1-3/4	UNF
805-62408	3/8x24x2	UNF
805-62409	3/8x24x2-1/4	UNF
805-62410	3/8x24x2-1/2	UNF
805-62411	3/8x24x2-3/4	UNF
805-62412	3/8x24x3	UNF
805-62413	3/8x24x3-1/4	UNF
805-62414	3/8x24x3-1/2	UNF
805-71404	7/16x14x1	UNC
805-71405	7/16x14x1-1/4	UNC
805-71406	7/16x14x1-1/2	UNC
805-71407	7/16x14x1-3/4	UNC
805-71408	7/16x14x2	UNC
805-72004	7/16x20x1	UNF
805-72005	7/16x20x1-1/4	UNF
805-72006	7/16x20x1-1/2	UNF
805-72007	7/16x20x1-3/4	UNF
805-72008	7/16x20x2	UNF
805-81304	1/2x13x1	UNC
805-81305	1/2x13x1-1/4	UNC
805-81306	1/2x13x1-1/2	UNC
805-81307	1/2x13x1-3/4	UNC
805-81308	1/2x13x2	UNC
805-82004	1/2x20x1	UNF
805-82005	1/2x20x1-1/4	UNF
805-82006	1/2x20x1-1/2	UNF
805-82007	1/2x20x1-3/4	UNF
805-82008	1/2x20x2	UNF

**All items on chart:  
For a bag order 25  
(quantity break)**

- INDEX
- PAINT
- HANDLEBARS
- STREET LEVER
- FORK SEALS
- CABLES
- SUSPENSION
- ELECTRICAL
- FILTERS
- BRAKE LINES
- BRAKES
- CABLE MAKING SUPPL
- CONTROLS
- DUAL SPORT
- MANUALS
- FSO PRODUCTS
- EMGO
- DRIVE
- DISPLAY
- JETS
- BEARINGS
- EYEWEAR
- VINTAGE
- MIRRORS
- EUROPEAN
- KICKERS
- SHIFTERS
- MISC
- HARD PARTS
- SHOP TOOLS
- CHEMICALS
- TOOLS

## American Nuts & Lock Nuts



Zinc plated standard hex nuts and Nyloc type insert lock nuts are sold in bags of 25.


Size		Hex Nut	Lock Nut
1/4 x 20	UNC	801-04020	802-14020
1/4 x 28	UNF	801-04028	802-14028
5/16 x 18	UNC	801-05018	802-15018
5/16 x 24	UNF	801-05024	802-15024
3/8 x 16	UNC	801-06016	802-16016
3/8 x 24	UNF	801-06024	802-16024
7/16 x 14	UNC	801-07014	802-17014
7/16 x 20	UNF	801-07020	802-17020
1/2 x 13	UNC	801-08013	802-18013
1/2 x 20	UNF	801-08020	802-18020
<b>For A Bag: Order 25</b>			

## American Socket Head Screws



Cap Screws

Socket Head Cap Screws	
Part#	Size
812-41003	10 x 24 x 3/8"
812-41016	10 x 24 x 2"
812-42004	1/4 x 20 x 1/2"
812-42005	1/4 x 20 x 5/8"
812-42008	1/4 x 20 x 1"
812-42010	1/4 x 20 x 1-1/4"
812-42012	1/4 x 20 x 1-1/2"
812-42014	1/4 x 20 x 1-3/4"
812-42016	1/4 x 20 x 2"
812-42018	1/4 x 20 x 2-1/4"



Flat Heads

Flat Head Countersunk Screws	
Part#	Size
891-42004	1/4 x 20 x 1/2"
891-42006	1/4 x 20 x 3/4"
891-42012	1/4 x 20 x 1-1/2"
891-42016	1/4 x 20 x 2"
891-42018	1/4 x 20 x 2-1/4"
<b>For a Bag: Order 25</b>	

INDEX

PAINT

HANDLEBARS

STREET LEVERS

FORK SEALS

CABLES

SUSPENSION

ELECTRICAL

FILTERS

BRAKE LINES

BRAKES

CABLE MAKING SUPPLIES

CONTROLS

DUAL SPORT

MANUALS

FSO PRODUCTS

EMGO

DRIVE

DISPLAY

JETS

BEARINGS

EYEWEAR

VINTAGE

MIRRORS

EUROPEAN

KICKERS

SHIFTERS

MISC

HARD PARTS

SHOP TOOLS

CHEMICALS

TOOLS